

REVISIONS				
REV. SYM.	E.C.C. NUMBER	DESCRIPTION	BY DATE	APP'D DATE
1		ORIGINAL RELEASE	JMC 4-10-00	JWJ 4-10-00

**UNCONTROLLED DOCUMENT  
WILL NOT BE UPDATED**


**USER INSTRUCTIONS**

**"M" GAUGE**  
Operate tool to show fully closed position. Matchball fit ball position at the tool contact. Adjust the "M" gauge and as shown. The gauge must pass freely between the indicator ball.

**"B" GAUGE**  
Operate tool to the fully closed position. Matchball fit ball position at the tool contact. Adjust the "B" gauge and as shown. The "B" gauge may enter the indicator opening, but must not pass completely through the opening.

**CAUTION: Do not crimp gauge.**

REVISION NUMBER	A. PART NO.	B. PART NO.	QTY.	DATE
1	2328	2330	1000	10/00
2	2328	2330	1000	10/00
3	2328	2330	1000	10/00
4	2328	2330	1000	10/00
5	2328	2330	1000	10/00
6	2328	2330	1000	10/00
7	2328	2330	1000	10/00
8	2328	2330	1000	10/00



**INTERIOR**

<b>RESTRICTED &amp; CONFIDENTIAL</b>	MATERIAL	ITEM	PART NO.	QTY.	DESCRIPTION /REMARKS			
		DRN	JMC	DATE 4-10-00	<b>DMC</b> DANIELS MANUFACTURING CORP. ORLANDO, FLORIDA GAGE 11651			
		CHK'D.	JWJ	DATE 4-10-00				
		APP'D.		DATE	TITLE INSPECTION GAGE SET ENVELOPE DRAWING			
DO NOT SCALE DRAWING	HEAT TREAT	APP'D.		DATE	WHERE USED:			
		APP'D.		DATE	SIZE B	SCALE NTS	CAD P/N 88-700-ENV	SHEET OF 1 1
					POSTING	P/N 88-700-ENV	REV. 1	